INDEX TO VOLUME L

INDEX TO AUTHORS AND TITLES

Agnihothrudu, V. Notes on fungi from north-east India. I. A new genus of Tubercullariaceae 570

Alexopoulos, Const. J. Three new species of Myxomycetes from Greece 52

Bakerspigel, A. The spores of Endogone and Melanogaster in the digestive tracts of rodents 440

Barnett, H. L. A new Calcarisporium parasitic on other fungi 497

——. Ernst Athearn Bessey 1

——. See Lilly et al. 862

Barr, Margaret E. Life history studies on Mycosphaerella tassiana and M. typhae 501

Bigelow, Howard E. New species and varieties of Clitocybe from Michigan 37

Bocobo, Florante C., and Arthur A. Curtis. Accidental isolation of Trichophyton mentagrophytes from the floor of a schoolhouse 164

Bose, S. R. A method of separating fungi from the culture medium 583

Brock, Thomas D. Symbolism in heterothallic fungi 444

Cummins, George B. See Greene and Cummins 6

Curtis, Arthur A. See Bocobo and Curtis 164

da Silva, Manuel E. See Josefiak and da Silva 583

Dick, Esther A. See Snell and Dick 57

Farr, Marie L. Taxonomic studies in the Myxomycetes. I. The Trichia favoginea complex 357

Fidalgo, Oswaldo. Studies on Ptychogaster rubescens Boud., the chlamydosporiferous form of Polyporus guttalatus Pk. 831

Fidalgo, O. and K. A new Fistulina from Brazil 145

Fraser, Ian M., and Byron S. Fujikawa. The growth-promoting effect of several amino acids on the common cultivated mushroom, Agaricus bisporus 538

Fujikawa, Byron S. See Fraser and Fujikawa 538

Gallicchio, Virginia, and David Gottlieb. The biosynthesis of chloramphenicol. III. Effects of micronutrients on synthesis 490

Gottlieb, David. See Gallicchio and Gottlieb 490

Greene, H. C., and George B. Cummins. A synopsis of the Uredinales which parasitize grasses of the genera Stipa and Nasella 6

Hartmann, George C. Susceptibility of Clarkia to Synchytrium fulgens 562

Jellison, William L. Haplomycosis in Japan and Africa 580

Johnson, T. W., Jr. Marine fungi. IV. Lulworthia and Ceriosporopsis 151

Josefiak, Eugene J., and Manuel E. da Silva. Phialophora Richardsiae in Brazil 583

Kanouse, Bessie B. Some species of the genus Trichophaea 121

Karling, John S. Olpidium synchytrii sp. nov., a parasite of Synchytrium namae 944

——. Synchytrium fulgens Schroeter 373

INDEX TO VOLUME L

INDEX TO AUTHORS AND TITLES

Agnihothrudu, V. Notes on fungi from north-east India. I. A new genus of Tubercullariaceae 570

Alexopoulos, Const. J. Three new species of Myxomycetes from Greece 52

Bakerspigel, A. The spores of Endogone and Melanogaster in the digestive tracts of rodents 440

Barnett, H. L. A new Calcarisporium parasitic on other fungi 497

——. Ernst Athearn Bessey 1

——. See Lilly et al. 862

Barr, Margaret E. Life history studies on Mycosphaerella tassiana and M. typhae 501

Bigelow, Howard E. New species and varieties of Clitocybe from Michigan 37

Bocobo, Florante C., and Arthur A. Curtis. Accidental isolation of Trichophyton mentagrophytes from the floor of a schoolhouse 164

Bose, S. R. A method of separating fungi from the culture medium 583

Brock, Thomas D. Symbolism in heterothallic fungi 444

Cummins, George B. See Greene and Cummins 6

Curtis, Arthur A. See Bocobo and Curtis 164

da Silva, Manuel E. See Josefiak and da Silva 583

Dick, Esther A. See Snell and Dick 57

Farr, Marie L. Taxonomic studies in the Myxomycetes. I. The Trichia favoginea complex 357

Fidalgo, Oswaldo. Studies on Ptychogaster rubescens Boud., the chlamydosporiferous form of Polyporus guttalatus Pk. 831

Fidalgo, O. and K. A new Fistulina from Brazil 145

Fraser, Ian M., and Byron S. Fujikawa. The growth-promoting effect of several amino acids on the common cultivated mushroom, Agaricus bisporus 538

Fujikawa, Byron S. See Fraser and Fujikawa 538

Gallicchio, Virginia, and David Gottlieb. The biosynthesis of chloramphenicol. III. Effects of micronutrients on synthesis 490

Gottlieb, David. See Gallicchio and Gottlieb 490

Greene, H. C., and George B. Cummins. A synopsis of the Uredinales which parasitize grasses of the genera Stipa and Nasella 6

Hartmann, George C. Susceptibility of Clarkia to Synchytrium fulgens 562

Jellison, William L. Haplomycosis in Japan and Africa 580

Johnson, T. W., Jr. Marine fungi. IV. Lulworthia and Ceriosporopsis 151

Josefiak, Eugene J., and Manuel E. da Silva. Phialophora Richardsiae in Brazil 583

Kanouse, Bessie B. Some species of the genus Trichophaea 121

Karling, John S. Olpidium synchytrii sp. nov., a parasite of Synchytrium namae 944

——. Synchytrium fulgens Schroeter 373

Kavanagh, F., D. Tunin, and G. Wild. Antibiotics formed by species of Emericellopsis 370
Kennedy, Lorene L. The genera of the Dacrymycetaceae 874
——. The genus Dacrymyces 896
Kobayashi, George S. See Pappagianis and Kobayashi 229
Kramer, C. L. A new genus in the Protomycetaceae 916
Krause, R. F. See Lilly et al. 862
Kuehn, Harold H. A preliminary survey of the Gymnoascaceae. I. 417
Lichtwardt, Robert W. An Enterobryus from the milliped Boraria carolina (Chamberlin) 550
Lilly, Virgil Greene. See Wilson and Lilly 376
——, **H. L. Barnett, R. F. Krause, and F. J. Lotspeich.** A method of obtaining pure radioactive β-carotene using Phycomyces blakesleeanus 862
Lingappa, B. T. Sexuality in Synchytrium brownii Karling 524
Lingappa, Yamuna. Physoderma pulposum 80
Lotspeich, F. J. See Lilly et al. 862
Lowy, Bernard. On preparing fleshy fungi for the herbarium 442
——. A method for obtaining soil-free aquatic Phycomycetes 142
Luttrell, E. S. The function of taxonomy in mycology 942
Mains, E. B. North American entomogenous species of Cordyceps 169
Martin, G. W. A new species of Dacrymyces from Honduras 939
——. Mycological taxonomy as related to practical problems in microbiology 97
——. See Rogers and Martin 306
McClung, Norvel M. A. J. Mix 315
Pappagianis, D., and George S. Kobayashi. Production of extracellular polysaccharide in cultures of Coccidioides immitis 229
Paterson, R. A. Parasitic and saprophytic phycomycetes which invade planktonic organisms. I. New taxa and records of chytridiaceous fungi 85
——. Parasitic and saprophytic Phycomycetes which invade planktonic organisms. II. A new species of Dangeardia with notes on other lacustrine fungi 453
Peek, Chester A., and W. G. Solheim. The hyphomycetous genera of H. W. Harkness and the ascomycetous genus Cleistosoma Harkn. 844
Pisano, Michael A., and Anastasia F. Plucker. Effect of carbohydrates on the growth of Cephalosporium longisporum in a chemically defined medium 223
Plucker, Anastasia F. See Pisano and Plucker 223
Porter, C. L. See Riedhart and Porter 390
Riedhart, J. M., and C. L. Porter. Studies of a unique pigment complex and a photobiological reaction in Penicillium herquei 390
Rogers, Donald P. The philosophy of taxonomy 326
—— **and G. W. Martin.** On Hydnum chrysorhizum Torrey 306
Routien, John B. Variation in Cephaliophora tropica 145
——. A new species of Teichosporella 117
Singer, Rolf. Mycological investigations of teonanácatl, the Mexican hallucinogenic mushroom. Part I. The history of teonanácatl, field work and culture work 239
——. New genera of fungi. VIII. Notes concerning the sections of the genus Marasmius Fr. 103
——. See Smith and Singer 469, 927

——, **and Alexander H. Smith.** Mycological investigations on teonanácatl, the Mexican hallucinogenic mushroom. Part II. A taxonomic monograph of Psilocybe, section Caerulescentes *262*

—— **and** ——. New species of Psilocybe 141

Sloan, Bernard J., and G. B. Wilson. The functions of the microspores of Gelasinospora calospora var. autosteira 111

Smith, Alexander H. See Singer and Smith 141, *262*

—— **and Rolf Singer.** Studies on secotiaceous fungi. VIII. A new genus in the Secotiaceae related to Gomphidius 927

—— **and** ——. New species of Galerina 469

Snell, Walter H., and Esther A. Dick. Notes on boletes. X. A few miscellaneous discussions and a new subspecies 57

Solheim, W. G. See Peek and Solheim 844

Sparrow, F. K. Interrelationships and phylogeny of the aquatic Phycomycetes 797

Sprague, Roderick. Some leafspot fungi on western Gramineae—XII 814

Stuehling, J. J., Jr., and A. W. Ziegler. Weston's leptomitaceous fungus in Florida 947

Thiers, Harry D. The agaric flora of Texas. II. New taxa of white- and pink-spored agarics 514

Tunin, D. See Kavanagh, Tunin, and Wild 370

Tylutki, Edmund E. Some aspects of morphology, genetics, and cultural behavior of Gelasinospora calospora var. autosteira 333

Vishniac, Helen S. A new marine phycomycete 66

Welden, Arthur L. Two unrecognized species of Cytidia 304

Wells, Kenneth. Studies of some Tremellaceae. II. The genus Ductifera 407

Wild, G. See Kavanagh, Tunin, and Wild 370

Wilson, E. M., and Virgil Greene Lilly. The utilization of oligosaccharides by some species of Ceratocystis 376

Wilson, G. B. See Sloan and Wilson 111

Wolf, Frederick A. Mechanism of apothecial opening and ascospore expulsion by the cup-fungus Urnula craterium 837

Ziegler, A. W. New water molds from Florida 403

——. See Stuehling and Ziegler 947

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Arima, K., W. J. Nickerson, M. Pyke, H. Schanderl, A. S. Schultz, A. E. Thaysen, R. S. W. Thorne, and W. Roman. Yeasts; review 585

Bärner, J. Bibliographie der Pflanzenschutzliteratur 1948–1949; notice 956

——. Literaturquellen und ihre Kürzungen aus der Bibliographie der Pflanzenschutzliteratur; notice 956

Bessey, Ernst Athearn; biography 1

Bold, Harold C. Morphology of Plants; review 956

Ciferri, R. G. Lindau and P. Sydow Thesaurus Literaturae Mycologicae et Lichenologicae Supplementum 1911–1930 A–D; review 149

——. Manuale di Micologia Medica; review 954

Errata—Vol. 50 948

International Code of Nomenclature of Bacteria and Viruses; review 949

Loquin, Marcel. Chromataxia; Code Mycologique et Pédologique des Couleurs; review 447
Micro reproductions; notice 956
Mix, A. J.; biography 315
Savulescu, T. Monografia Uredinalelor din Republica Populara Romana; review 309
——. Ustilaginalele din Republica Populara Romana; review 310
Schwarten, Lazella, and Harold William Rickett. Abbreviations of titles of serials cited by botanists; notice 955
Smith, Alexander H. The mushroom hunter's field guide; review 586
Strong, F. M. Topics in Microbial Chemistry: Antimycin, Coenzyme A, Kinetin and Kinins; review 953
Wasson, Valentina Pavlovna, and R. Gordon Wasson. Mushrooms Russia and History; review 147, 449

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

Achlya 609–611, 802; ambisexualis 597, 610; americana 695; apiculata 695; bisexualis 802; caroliniana 695; colorata 695; conspicua 695; crenulata 695; dubia 695; flagellata 695; hypogyna 695, 802; klebsiana 695; lobata 695; megasperma 695; **mucronata 403,** 405, 695; oblongata 695; orion 695; prolifera 695; proliferoides 695; racemosa 695; radiosa 403, 405; recurva 695; rodriqueziana 695; treleaseana 695
Achorion 418
Acia chrysocoma 308
Acrostalagmus 761
Aecidium auriellum 17; avocense 28; bigeloviae 18; chryosopsidis 18; compositarum lygodesmiae 18; crepidicola 18; desmodii 12; drabae 17; eurotiae 12; graminellum 30; grindeliae 20; incurvum 20; interveniens 29; libanotidis 22; lygodesmiae 20; malvastri 29; malvastricola 29; modiolae 28; modiolae sphaeralceae 29; monoicum 17; parryi 17; poecilochromae 9; pulsatillae 22; recedens 20; roestelioides 28; sclerothecioides 20; sedi-aizoontis 22; solidaginicola 20; sphaeralceae 29; sphaeralceanum 29; thymi 21; tranzschelianum 22
Agaricus bisporus 258, 538; caerulipes 301; campestris 538; epichysium 40; philonotis 41; sphagnicola 41; bisporus fa. albida 538; bisporus fa. avellanea 538; epichysium β icmadophilus 41
Akanthomyces 170, 173; aculeata 187; aranearum 184
Akrophyton tuberculatum 186
Alcurodiscus 304
Allodus graminella 30; interveniens 29
Aliomyces 592–594, 597, 599, 606, 607, 800, 805, 808; arbuscula 598, 600, 799; macrogynus 605, 607, 618
Amanita caesarea 450; calyptratoides 252; inaurata 252; muscaria 148, 252, 450, 451; phalloides 450
Amauroascus 418, 419, 422, 423; niger 418, 422; verrucosus 418, 422, 423
Amparoina 110; spinosissima 110
Amphicypellus 92, 93; elegans 90, 91, 93, 94
Amylophagus 803
Ancylistes 797
Androsaceus 107
Anellaria 244
Angiopsora 741; africana 742; ampelopsidis 741, 742; aurea 742; cameliae 742; clemensiae 742; compressa 742; cyrtococci 742; digitariae 742; handfordii 742, 743; hiratsuksae 742; lenticularis 743; melaena 743; meliosmae 743; pallescens 743; phakopsoroides 743; venezuelana 743; wiehei 743; zeae 743
Anthurus 794
Aphanistis 805
Aphanomyces 467, 611, 613, 614, 695; cochlioides 597, 611, 613; laevis 695; scaber 695; stellatus 695
Aphanomycopsis 73, 74, 78; bacillariacearum 73

Aphelidium 809
Apiocarpella 825
Apodachlya 612, 614
Arachniotus 418, 419, 423, 429; aureus 418, 424, 425; candidus 418, 423, 424, 426; citrinus 429; dankaliensis 424, 425; reticulatus 423, 424; ruber 418, 424, 425; terrestris 424, 426; trachyspermus 424, 427, 428; trisporus 420, 421
Armillariella mellea 242
Arrhytidia 875, 880, 886, 888–892, 897; enata 890, 901; flava 886, 889, 890; involuta 889, 890, 891
Arthrobotrys oligospora 761
Arthroderma 419, 420, 430; curreyi 430, 431, 432
Ascobolus stercorarius 350
Ascochyta 825
Ascodesmis 417, 418
Ascomyces 417, 418
Aspergillus 307, 376, 853, 854; fischeri 781; flavus-oryzae 395; **lateralis 855;** niger 100, 236; oryzae 376; varicolor 853, 854; versicolor 855
Astraeus 957
Atkinsiella 75, 78; **dubia 75**
Aureobasidium bolleyi 635, 636
Auricularia 746

Balansia strangulans 818, 819
Basidiobotrys 763
Beauveria bassiana 761
Berkleasmium 686, 690, 691; **concinnum 686,** 687, 690; **conglobatum** 683, **687,** 688, 690; cordeanum 686; **granulosum 687,** 690
Bispora 860; pusilla 860
Blastocladia 606; pringsheimii 606; ramosa 604–606
Blastocladiella 606, 800, 805, 808, 812; emersonii 606; simplex 597, 605, 606; variabilis 606
Blastomyces brasiliensis 229; dermatitidis 229
Boletinus 57; castanellus 57, 58; porosus 57; squarrosiodes 57, 58
Boletus 58–60; aereus 451; eastwoodiae 62, 63; luridus 247; variegatus 751; variipes 451; edulis subsp. pinicola 64; frostii subsp. typicus 61; rubellus subsp. bicolor 61; rubellus subsp. dumetorum 65; rubellus subsp. **purpureus 65**
Bombardia lunata 333, 350, 351
Botryodiplodia 101
Botryosphaeria 500
Botrytis 570
Bourdotia 407–408, 410, 412; caesia 407; cinerea 408, 415; pululahuana subsp. caesia 407; pululahuana subsp. galzinii 407; pululahuana subsp. pululahuana 407, 412
Brauniella 927, 937
Brauniellula 927, **928; albipes** 928, 932, **936,** 937; leucosarx 928, 929, 931, 932; **nancyae** 928–930, **931,** 935, 937; subg. **Brauniellula 937;** sect. **Brauniellula 931;** sect. **Gomphidius 928**
Brettanomyces 586
Brevilegnia 405, 406, 802; bispora 406; crassa 406; diclina 695; **globosa 405,** 406, 695; linearis 406, 695; subclavata 406; unisperma 695; megasperma var. brevicaulis 406
Byssochlamys 419, 420, 427; fulva 420–422; nivea 420–421; trisporus 420

Cadophora 584; brunnescens 583; richardsiae 583
Calcarisporium 497; arbuscula 497–498; **parasiticum** 498, 499, **500,** 761
Calocera 874, 875, 879, 884, 892, 896; cornea 884, viscosa 884
Caloceras 884
Calloria stillata 910
Calyptralegnia 802
Camposporium 844, 847; antennatum 845
Candida utilis 585
Cantharellus 40
Catenaria 800, 805
Catenomyces 805, 807, 808
Cephaliophora tropica 145
Cephalosporium 173, 191, 223, 227, 370, 371, 372, 571, 573, 574, 760; longisporum 223; salmosynnematum 223, 370
Ceracea 880, 888, 889, 891
Ceratobasidium 329
Ceratocystis 376, 661, 669; adiposa 377, 382, 383, 387; **bicolor 665; brevicollis 667,** 670; **brunnea 663,** 670; coerulescens 377–382, 385–387; fagacearum 377, 382, 383, 385–387, 757; fimbriata 378, 379, 380, 382, 383, 387, 761; ips 669; **minor 664,** 669, 670; minuta 668; moniliformis 377, 382, 385, 387, 667; montium 669; **nigra 662,** 670; obscura 667, 668; penicillata 377, 382, 383, 387, 662, 670; **perfecta 665,** 668, 670; pini 669; pluriannulata 760–762, 766–768; pseudotsugae 665; **tenella 666,** 670; **vesca 666,** 667, 670.
Ceratophorum 682
Cercospora 638, 639; muhlenbergiae 639
Cercosporella 638; **boutelouae 638**–640
Cerinomyces 875, 879, 881, 882, 889–892; pallidus 880
Ceriomyces 831; fischeri 831; rubescens 832
Ceriospora 161

Ceriosporopsis 151, 158; barbata 161; cambrensis 161; halima 158, 161, 162; hamata 158, 161, 162
Ceuthospora 653
Chaetomium globosum 99
Chalara quercina 351
Cheiromyces 682, 691; **montellica 682,** 690; stellatus 682; tinctus 682
Choanephora cucurbitarum 869
Chondromyces 629, 632; lacteus 631
Chytridium 457, 459, 461, 598, 799; olla 597, 600, 601; schenkii 460
Chytriomyces 92, 93, 466; appendiculatus 92; hyalinus 92; lucidus 92; spinosus 93; tabellariae 93
Ciliaria bicuspis 137; paludosa 135
Cistella 643, 649; **parksii 642–644**
Cladosporium 510, 821; graminum 509; herbarum 509, 510, 570; macrocarpum 510
Clasterisporium 688, 689; caricinum 688, 689; sarcopodioides 689
Clathrus columnatus 792, 794; turbinatus 367
Claudopus 746
Clavaria 884; viscosa 884
Claviceps 169, 173, 220; purpurea 818
Cleistosoma 844, 856, 857; purpureum 856, 857
Clitocybe 37; **aeruginosa 37,** 38; angustissima 48; aurantiaca 44; **brevipes 38,** 39; diatreta 48; dicolor 45; **distantifolia 39; epichysium 40;** flavidella 48; fritilliformis 45; fuligineipes 45; **icmadophila 41;** incarnata 48; **incisa 41–43; insipida 43,** 44; odora 38; **pallescens 44,** 45; pausiaca 45; peltigerina 39; phyllophila 48; praecox 43; **rancida 45; rubella 46; sclerotoidea 46;** sinopica 43, 51; subbulbipes 49; **subcanescens 46,** 48; **subfumosa 49; subnitens 50,** 51; gerardiana var. **fusca 40,** 41; gerardiana var. gerardiana 40; subcanescens var. **robusta 49;** subcanescens var. **subcanescens 46,** 47, 49; umbilicata f. spadicea 51
Coccidioides immitis 229
Cochliobolus 784, 786; heterostrophus 705; sativus 509, 697, 784
Coenomyces 805
Colletotrichum 635, 816; aquatilis 827; **georgius-fischeri 816,** 817; **sierraensis 817–819**
Collybia 107, 108, 286; **delicata 519;** dryophila 107; glatfelteri 520; **lignicola 518;** maculata 519; subfumosa 108; tenuifolia 520; velutipes 730, 732, 751
Colpoma **californicum 645**
Comatricha 55; **acanthodes** 53, **55;** cornea 55; fimbriata 55; martinii 55; **synsporos** 53, **54**
Composporium antennatum 846
Coniosporium 686; olivaceum 683, 686
Coniothyrium 500
Conocybe 147, 244; siligineoides 244
Copelandia 244, 247; caerulescens 255
Coprinus 957
Cordyceps 169; subg. Cordyceps 175; subg. Cordylia 174; subg. **Cryptocordyceps 176,** 215; subg. Eucordyceps 174; subg. Neocordyceps 174; subg. Ophiocordyceps 174, 177, 180, 218; subg. Racemella 174, 175, 180; subg. Torrubiella 174; subg. Cordyceps sect. Cordyceps 187; subg. Cordyceps sect. Cremastocarpon 200; subg. Cordyceps sect. Cystocordyceps 214; subg. Cordyceps sect. Hemicordyceps 186; sect. Cordyceps 176; sect. Cremastocarpon 176; sect. **Cystocordyceps 176;** sect. **Hemicordyceps 175;** subsect. **Entomogenae 176;** subsect. **Mycogenae 176;** acicularis 174, 177, 181–184, 217; agariciformia 171; amazonica 174, 180, 210, 212, 213; armeniaca 174, 178, 188, 200; australis 204, 206; barberi 218; barnesii 196; belizensis 174, 180, 211; bicephala 173, 204; bicephala subsp. curculionum 203; blattae 172, 177, 212; caespitosa-filiformis 195; caloceroides 174, 194; capitata 171, 172, 252, 253; carabi 211; carolinensis 181; caloceroides 179; cinerea 211; clavulata 170, 172, 174, 179, 185, 189; coccigena 202; cockerellii 186; concurrens 194, 195; crinalis 174, 177, 182, 184; cristata 186; curculionum 172–174, 178, 199, 201, 203, 204, 206; cusu 200; dipterigena 173, 174, 178, 199, 201–203; dittmari 189; elongata 174, 179, 191–193, entomorrhiza 174, 180, 210, 211, 213; exasperata 195; fasciculata 195, 218; flavella 220; formicivora 178, 208; gentilis 206; glaziovii 213, 214; gracilioides 213; gracilis 174, 180, 210, 212–214; grenadensis 174, 179, 194; gryllotalpae 219; gunnii 170; henleyae 170; herculea 200; hesleri 174, 180, 210, 211; humberti 219; hunti 196, 197; insignis 174, 179, 200, 209, 210; isarioides 186, 187; klenei 196, 197; lachnopoda 206; langloisii 174, 178, 185, 188, 189; lloydii 173, 174, 178, 199, 202, 203; locustiphila 213; lunti 197; macularis 174, 179, 193, 197; martialis 174, 178, 193, 196, 197, 219; melolonthae 170, 174, 179, 197–200, 209, 219; melolon-

thae var. melolonthae 198, 200; melolonthae var. **rickii** 179, **198,** 199; memorabilis 175, 184; michaelisii 195; michiganensis 174, 177, 180, 182, 183; militaris 170, 171, 174–176, 179, 185, 190–193, 197; miryensis 190, 191; moelleri 186; montagnei 220; monticola 174, 180, 210, 214; muscicola 201; musae 202; myrmecophila 173, 174, 178, 205–207; nutans 173, 176, 204, 206; olivascens 174, 179, 192; oncicada 220; ophioglossoides 176; opposita 201; oumensis 201; oxycephala 206; paludosa 171, 174, 177, 180, 182; palustris 219; peltata 172, 174, 177, 216, 218; polyarthra 174, 179, 193–195, 219; pistillariaeformis 189; pittieri 197, 200, 219; puiggari 206; purpurea 252; ravenelii 171, 174, 176, 178, 181, 200, 215–217; rickii 198; rostrata 186; salebrosa 174, 178, 199, 201; sherringii 203; sinensis 252; smithii 174, 179, 209; sobolifera 174, 179, 195, 196, 199; sphecocephala 170, 173, 174, 178, 199, 204, 206, 207, 219; sphecophila 204; sphingum 184, 186, 187; stylophora 171, 174, 176, 179, 210, 214; subdiscoidea 203; submilitaris 196; subpolyarthra 195; subsessilis 174, 178, 185, 187; superficialis 171, 174, 177, 180–182; surinamensis 202; tarapotensis 186; thaxteri 170, 174, 177, 182, 184; thrysoides 206; thwaitesii 202; tricentrus 206; tuberculata 171, 172, 174, 175, 178, 185–187; unilateralis 174, 178, 179, 205, 208; variabilis 174, 179, 205, 207; viperina 207; volkiana 200; washingtonensis 174, 179, 191, 193; wittii 194

Cordylia 169, 170, 174; militaris 190

Corticium 746, 880; investiens 746; lividum 747; roseum 747; salicinum 305

Cortinarius 469

Crinipellis 108

Cryptococcus neoformans 164

Cryptodiscus 654

Ctenomyces 417–420, 431, 432; bossae 432; persicolor 432; serratus 418, 431, 432; xylophilus 430–432

Cucurbitaria 119

Curvularia geniculata 629; lunata 761

Cylindrochytridium 805

Cylindrosporium 638; andropogoni 638; **campicola 637,** 638

Cytidia 304; sect. Lomatina 306; **magnispora 305,** 306; **patelliformis 304**–306; pezizoides 306; salicina 305, 306; sarcodes 306; simulans 306

Dacrymyces 874, 875, 879, 880, 882, 887, 889–892, 896, 898, 939; abietinus 903, 904, 909; abietinus var. **abietinus** 899, **902,** 904; abietinus var. triseptatus 899, 903, 904; aurantius 907; azaleae 902, 904; caesius 905; castaneus 900; cerebriformis 911; chrysocomus 913; chrysospermus 907; conglobatus 913; conigenus 913; deliquescens 874, 878, 881, 888, 890, 897, 904, 907, 908, 910–913; deliquescens var. castaneus 901; deliquescens var. **deliquescens** 899, **910,** 913; deliquescens var. **ellisii** 899, **911,** 913; deliquescens var. **minor** 899, **908,** 909, 913; deliquescens fa. fagicola 908; deliquescens fa. lutescens 908; deliquescens fa. myriadeus 905; deliquescens fa. nigricans 905; **dictyosporus** 899, **939**–941; digressus 907; ellisii 911, 912; enatus 901, 902; enatus var. **enatus** 899, **900,** 901; enatus var. **macrospora** 899, **902;** falcatus 899, 906; flabellus 907; fragiformis 914; fuscominus 901, 907; gangliformis 901; harperi 911; hyalinus 905; lacrimalis 910; longisporus 940; lutescens 908–910; minor 882, 908–910, 912; multiseptatus 907; nigrescens 898, 900; nuda 883; ovisporus 898, 899, 940; pallidus 904, 906; palmatus 881, 886, 888, 893, 897, 899, 907, 908, 941; pellucidus 914; punctiformis 881, 888, 897, 899, 904–906; radicatus 914; romellii 888, 905; rubidus 941; rubiformis 907; San-Angustinii 902; stillatus 874, 888, 902, 904; stipitatus 914; subalpinus 941; subochraceus 908; tremelloides 907; tortus 887, 888, 904, 906

Dacryomitra 874, 882–885, 892, 897; brunnea 892; ceracea 892; depallens 893, 907; glossoides 893; nuda 892; pusilla 892; ramosa 893, 907; stipitata 892, 893

Dacryomyces concavus 913; cupularis 914; flavus 914; palmatus 907; stillatus 891, 896, 910

Dacryonaema 875, 879, 885; rufum 885

Dacryopinax 875, 879, 884, 885, 892, 893; fissus 893; spathularia 884, 893

Dacryopsis 882, 883, 885; palmata 907

Daedalea 746; confragosa 747

Dangeardia 453; laevis 456, 462, 463; mammillata 456, 462, 463; **ovata 453**–456, 463, 467

Dasyscypha 650; crystallina 646; **echinophila** 644, **645,** 646; nivea 646; virginea 646

Davisiella elymina 820

Deconica 265

Dicaeoma burnettii 12; eurotiae 12; interveniens 29; monoicum 17; parryi 17; scaber 14; stipae 20
Dicellomyces 893; glocoporus 893
Dicranidion 857; fragile 857–860
Dicranidium 860
Dictyosporium 682, 691
Dictyuchus 405, 610, 611, 613; missouriensis 695; monosporus 695; pseudodictyon 695; sterilis 802
Didymellina 501
Dilophospora alopecuri 828
Diplodia 101
Diplophlyctis 806; intestina 806; sexualis 807
Ditangium 913; cerasi 913
Ditiola 875, 876, 879, 882, 883, 885, 887, 892, 896, 914; nuda 883; radicata 882, 883, 886, 914
Dothidella 828
Dothiorella 101, 500, 759–761, 764–766; quercina 497, 500, 759, 762, 767
Ductifera 407; **megaspora** 409, **411**, 412, 416; **micropera** 409, 411, **413**, 414, 416; milleii 407, 408, 411–413; **pululahuana** 411, **412**, 416; rosea 415, 416; **sucina** 411, **413**, 414, 416

Echinostelium **elachiston 52**, 53; minutum 54
Ectrogella 73, 467; bacillariacearum 466
Eidamella 419, 420, 433; actoni 435; deflexa 434, 435; papyricola 434; spinosa 434
Elaphomyces 173, 174, 176, 177, 252, 782
Ellisiella 575
Ellisiellina 575; biciliata 575
Ellisiopsis 575
Emericella 853, 854, 857; variecolor 854, 857
Emericellopsis 370; humicola 371, 372; minima 371, 372; mirabilis 371, 372; terricola 371, 372; salmosynnemata 370, 371; terricola var. glabra 371
Endocoenobium 94, 806
Endogone 440; fasciculata 440–442
Endomyces 417, 418
Endophyllum tuberculatum 30
Enterobryus 550; apheloriae 557; **borariae 551**–556, 558–560; euryuri 557; elegans 552, 560
Entyloma 313; dactylidis 826; spragueanum 826
Epichloe 816
Eriosporella 575
Erysiphe 786; graminis 786, 818
Eucordyceps 174
Eurotium 853
Eurychasma 73
Eurychasmidium 73

Exidia cartilaginea 415, 416; cystidiata 408, 413; fragilis 415; glandulosa 410, 416; sucina 408, 410, 413; tomentosa 413
Exidiopsis alba 407, 408
Exoascus 417
Exobasidium 881

Favolaschia 106
Favolus 746; canadensis 747
Femsjonia 875, 880, 886, 888, 892, 896; luteoalba 886–888; orientalis 887
Fenestella 119
Fimetaria 333
Fistulina 145; **brasiliensis 145**, 146
Fomes 671, 745, 746; albogriseus 672; applanatus 672; densus 746; fomentarius 671, 672; fulvus 747; igniarius 748, 750; juniperinus 746; laricis 672; lobatus 747; officinalis 671, 674, 748; ulmarius 747
Fusarium 559, 571, 576, 639, 760, 828, 857; avenaceum 820; nivale 820; semitectum 570
Fusicladium 821
Fusisporium 849

Galerina 469; stirps Mycenopsis 474, 476, 485; stirps Sideroides 471, 474; subsect. Calyptrosporae 475; agloea 471; **anelligera 475**; atkinsoniana 480, 488; autumnalis 473, 488; **borealis 470**; brunneimarginata 480; **californica 470**; **castanescens 471**, 472; cerina var. ampullicystis 481, 482; **cinnamomea 473**; diabolissima 479; **dicranorum 474**; evelata 486; **filiformis 474**; graminea 480; hypnorum 474; lateritia 486; **leucobryicola 476**; **longinqua 477**; lubrica 485; **macquariensis 478**; **mainsii 479**; naucorioides 477; **nigripes 480**; **nordmaniana 480**, 481; oregonensis 473; oreina 481; **payettensis 481**; **perangusta 482**; pistillicystis 470, 484; psathyrelloides 475, 476, 482; pseudobadipes 471, 472; **pseudocerina 483**; **rostrata 484**; rugisperma 473; saltensis 481; sideroides 470; stylifera var. **badia 486**; stylifera var. stylifera 487; stylifera var. **velosa 487**; subbadia 471; **subcerina 485**; **subtruncata 486**; triscopa 482; triscopa fa. **longicystis 489**; triscopa fa. triscopa 489; unicolor 482; vexans 474, 485; vittaeformis 480; vittaeformis var. **pachyspora 488**
Ganoderma 746
Geastrum 957
Gelasinospora 114, 350; adjuncta 335, 349, 761; autosteira 111, 335, 349; calospora 333, 349; calospora var.

autosteira 111, 333; tetrasperma 352, 761
Geolegnia inflata 695
Gerronema 108
Gibellula eximia 195
Gliocladium roseum 760–768
Gloeocercospora 826, 827; alascensis 826, 827; sorghi 637, 638
Gloeophyllum 754–756; abietinum 753; cinnamomeum 755; sepiarium 753, 755; trabeum 753
Gloeosporium 635, 816, 817; bolleyi 635; **meinersii** 635, **817**; meinersii var. **alpina 818**
Gloeotromera 408, 411, 416; alba 409, 410; sucina 413; pululahuana 409
Glonium 783; stellatum 508
Gnomonia 780
Gomphidius 927; subg. Chroogomphus 934, 936, 937; glutinosus 931; helveticus 935; leptocystis 935; maculatus 931; septentronalis 931
Gonapodya 789, 809; polymorpha 789, 790; prolifera 789–791
Graphium 666, 667; rigidum 759–762, 764–768
Grosmannia 661
Guepinia 874, 884, 885; elegans 885; peziza 888; spathularia 893
Guepiniopsis 875, 880, 887, 888, 892, 896; aurantius 907; **buccina 888**; chrysocomus 886; tortus 887, 888
Gymnoascus 417–419, 421, 432; aureus 424; candidus 426; reessii 418; ruber 425; setosus 418; sudans 420; verrucosus 423
Gyraria lachrymalis 910
Gyrodon 57; castanellus 58; merulioides 57; monticola 250
Gyroporus purpurinus 64

Haematomyxa ascoboloides 646; pakistani 646; rufa 646; sequoiae 646; **tetraspora** 644, **646**
Haliphthoraceae 75
Haliphthoros 75; milfordensis 75–78
Halophiobolus 152; purpureus 154; rufus 153, 154
Hansfordia 498, 499
Hansenula 770, 771; anomala 770
Hapaloptera piriformis 86
Haplosporangium 580; parvum 580, 581
Helicomyces 570
Helicoon 849
Helminthosporium 821; cynodontis 821; maydis 705; micropus 821; ravenelii 821; sativum 697; siccans 821; sorokinianum 697; stenacrum 821
Helotium 647, 888; caracassensis 653; cecropiae 653; ceipi var. struthiopteridis 647; **polystichi 647**; scutula 647
Hendersonia 829; crastophila 825, 829; culmicola 823, 825; graminis 829
Heterosporium 510
Heterotextus 887
Hirsutella 173; eleutheratorum 212; formicivora 208; gigantea 192; saussurei 219; stylophora 215
Histoplasma capsulatum 167, 229
Hobsonia 849
Hormodendron 510; resinae 570
Hormomyces 914; abietinus 910; aurantiacus 914
Humaria gregaria 133
Hyalopycnis blepharistoma 761
Hyaloscypha 649
Hydnum 746; chrysocomum 308, 747; chrysorhizum 306; coralloides 748; fragilissimum 307, 308; ischnodes 308; septentrionale 747
Hygrophoropsis tapinia 249
Hymenochaete 746; rubiginosa 746, 748
Hymenopodium 688, 689, 847; sarcopodioides 688, 689, 847
Hymenostilbe 173; dipterigena 202; lecaniicola 189; sphingum 187
Hypholoma 248, 746; caerulescens 268; cyanescens 141, 267, 286, 287; fragile 278; silvaticum 277, 278, 280
Hypomyces lactifluorum 252; solani fa. cucurbitae 351, 352
Hypoxylon atropunctatum 760–762; marginatum 761; mediterraneum 765, 766; punctulatum 759, 760, 762–768
Hysterographium mori 688; rousselii 688

Illosporium 431; curreyi 430
Insecticola pistillariaeformis 187
Isaria 173, 196; cicadae 196; dubia 214; dussii 195; farinosa 191; gigantea 220; palmatifida 195; sphingum 187
Isoachlya eccentrica 695, 802; intermedia 695; toruloides 695; unispora 695, 802
Inocybe geophylla 931

Laccaria laccata 252
Lachnea 121; abundans 130; amphidoxa 129; bicuspis 137; cretea 131; gregaria 133; gregaria ps udogregaria 136; paludosa 135; pseudogregaria 136; scutellata 126
Lactarius 252; piperatus 450, 451; vellereus 450
Lagenidium rabenhorstii 466
Laricifomes 671, 675; officinalis 671, 672
Leccinum 58, 59; **aurantiacum 63**
Lentescospora 162, 163
Lentinus omphalodes 547

Lenzites 746; betulina 753, 755, 756; cinnamomea 753; saepiaria 753; trabea 726
Leptoderma 801
Leptographium 662, 663, 667–669
Leptolegnia 695; caudata 695
Leptosphaeria 816, 829; associata 816; **georgius-fischeri 815,** 816; microscopica 816; muhlenbergiae 816; muirensis 815, 816
Leucocoprinus 110
Libertella 816
Lulworthia 151; **attenuata** 155, **157,** 159, 160; **conica** 155, **156,** 160; cylindrica 157; fucicola 160; floridana 153, 157, 160; grandispora 156, 159, 160; grandispora var. **apiculata** 158, **159;** grandispora var. grandispora 159; halima 153, 157, 161; opaca 152, 153; longirostris 152, 153, 156; medusa 152, 160; medusa var. biscaynia 153, 155, 156, 159, 161; medusa var. medusa 153, 156; **purpurea 154,** 155, 157, 159, 160; **rotunda 154**–157, 160; **rufa 154,** 155, 157, 159, 160; salina 152, 153, 156, 157, 159, 160; **submersa** 155, **156,** 157, 159, 160
Lycoperdon favogineum 367; tritici 313; zeae 313
Lysurus 794

Macrochytrium 805
Macrophoma 101
Marasmiellus 104, 107, 108; sect. Calopodes 107; sect. Gerronema 107; sect. Hemimycena 107; sect. Pseudoconidiophori 107; sect. Rameales 107; brasiliensis 107; candidus 108; inodermeus 107; nigripes 107; ramealis 108; subfumosus 108; subingratus 107
Marasmius 103, 249; sect. Alliacei 109; sect. Alliati 108; sect. Androsacei 104, 107, 109; sect. Apus 103, 104, 109; sect. Epiphylli 106, 109; sect. Fusicystides 103, 109; sect. Globulares 106, 107, 109; sect. Globularini 106; sect. Hydrometrici 103, 109; sect. **Neosessiles** 103, **104,** 109; sect. Rameales 107; sect. Rotulae 103–106, 109; sect. **Sicci 106,** 107, 109; sect. Spinosissimi 103, 110; subsect. Siccini 160; subsect. Globularini 106; stirps Graminum 104, 106; anomalus 105; concolor 103; coprophila 515; culmisedus 104; graminum 104, 105; griseoviolaceus 105; haedinus 107; haematocephalus 515; helvolus 515; inaequalis 103, 106; multiceps 104; **neosessilis 103,** 104; niveus 107; pruinatus 105; **puniceus 514;** rotalis 106; siccus 106; spinosissimus 110; tageticolor 515; tucumanus 515
Marssonina 635; populi 635
Megachytrium 805
Melanogaster 440; variegatus 440–442
Melanoleuca reai var. **texana 521**
Memnoniella 101
Metasphaeria culmifida 816
Micromphale 107
Microsporum 418
Mindeniella spinosa 614; spinospora 613
Mitrula 892
Mixia 924, 925; **osmundae** 919, 921, **924**
Mollisia 648; adenostylidis 649; cinerea 649; **lithocarpi 647,** 648; prinicola 648; **urticae** 644, **648;** urticicola 648
Mollisina 649; **ammophilae** 644, **649**
Monoblepharella 608, 789, 790, 809; mexicana 597, 605, 608, 609
Monoblepharis 605, 608, 789, 790, 809, 811
Monochaetia 761
Morchella crassipes 97
Mucor 812; hiemalis 863; mucedo 99
Muellerella nigra 118
Muirella 827; alascensis 819, **827**
Mutinus ravenelii 792–794
Mycena 104, 106, 110; **avellaneibrunnea 516;** floccipes 516; galericulata 517; griseovirdis 518; **radicata 515;** supina 516; epipterygia var. **cespitosa 517**
Mycoacia 308; fragilissima 307, 308
Mycosphaerella 501, 508, 510, 511, 783–785, 815; subg. Didymellina 501, 508, 511; subg. Mycosphaerella 508; **cinnafolia 814;** deschampsiae 815; pinodes 501; tassiana 501; tulasnei 509, 510; tulipiferae 508, 784; typhae 501
Myrothecium verrucaria 376
Myxococcus 629, 632; **lacteus 631,** 632; ovalisporus 632; stipitatus 632
Myxotrichella 435
Myxotrichum 418–420; aeruginosum 435; chartarum 418; deflexum 434; ochraceum 434, 435; uncinatum 418
Myzocytium zoophthorum 466

Naematelia rubiformis 907
Naematoloma 248; caerulescens 267, 269; squamosum 248
Neocosmospora 785
Neurospora 111, 333, 335, 350, 445, 779, 784, 786; crassa 333, 350, 547, 679; sitophila 333, 351, 784; tetrasperma 352, 784
Nigrospora sphaerica 761
Nodulosphaeria 785
Nothopanus 108
Nowakowskiella 603; elegans 601–603

Odontia 308; crocea 307, 308
Oedocephalum 761
Oligoporus 831; rubescens 832
Olpidiopsis 811
Olpidium 944–946; brassicae 799; gregarium 466; **synchytrii 944,** 945; uredinis 946; algarum var. brevirostrum 945
Omphalia epichysium 41
Onygena 418
Ophiocordyceps 169, 170, 174, 177, 190; acicularis 181; clavulata 189; caloceroides 194; macularis 197; peltata 218; unilateralis 208
Ophionectria 187; cockerellii 186, 187
Ophiostoma 661; bicolor 665; truncicola 667
Ovularia pusilla 821
Oxydontia 308; **chrysorhiza 308;** fragilissima 307, 308

Paecilomyces 420, 421; varioti 422
Panaeolus 147, 240, 242, 244, 258; campanulatus 240, 244; fimicola 244; papilionaceus 244; sphinctrinus 240–244, 254, 255, 257, 258; subbalteatus 244; venenosus 244
Panus 746; laevis 746
Patella 122; abundans 130, 131; albospadicea 132, 133; gregaria 129, 133; paludosa 135; tuberculata 122, 134, 135; woolhopeia 133
Pedilospora 858, 860; episphaeria 860; parasitans 860; ramularioides 859, 860
Penicillium 390, 427, 760, 762, 765, 766; chrysogenum 376, 391; elegans 391; herquei 390; roqueforti 376; spinulosum 376; striatum 428
Peniophora 746; coccinea-fulva 747, 748, 750; incarnata 746
Perisporium 786; funiculatum 784, 786
Pestalloziella 575
Pestalotia 101
Pestalozzia 570
Petriella 761
Peziza 888; abundans 130; albo-spadicea 132; buccina 888; craterium 837; erinaceus 121, 122; radiculata 886; woolhopeia 122, 128, 132
Pezizellaster 649, 650; confusus 650; **herbarum 650,** 651; tami 650
Phaeociboria 652; **garryae** 651, **652;** tetrica 652
Phaeogyroporus 64
Phaeomarasmius 110
Phaeosphaerella 511; typhae 511
Phagomyxa 810, 811
Phakopsora ampelopsidis 742; hansfordii 742; melaena 743; meliosmae 743; randiae 743; venezuelana 743; vitis 741, 742
Phallus 746
Phellinus 674
Phialea 653; pertenuis 653; **umbellulariae 652,** 653
Phialophora 584; brunnescens 584; richardsiae 583
Phlebia 746
Phlebopus 58
Phlogiotis helvelloides 252
Phlyctidium mycetophagum 466
Phlyctochytrium 463, 465; laterale 463; synchytrii 947
Pholiota 746
Pholiotina 247
Phycomyces blakesleeanus 862
Phyllachora 820; cynodontis 820; graminis 820; texensis 819, 820; graminis cynodontis 820
Phylloporus 57, 58; squarrosoides 58
Phyllosticta 639; **andropogonivora 639;** healdii 639; minutaspora 822, 823; sorghina 822
Physalospora 500, 828; obtusa 499
Physarum contextum 368
Physoderma 81, 84, 805, 806, 809; alfalfae 84; hemisphericum 84; lycopi 807; pulposum 80, 807
Physopella 741; **africana 742; aurea 742; ampelopsidis** 741, **742; cameliae 742; clemensiae 742; compressa 742; digitariae 742; hansfordii 742; hiratsuksae 742; lenticularis 743; melaena 743; melinidis 743; meliosmae 743; pallescens 743; phakopsoroides 743; venezuelana 743;** vitis 741, 742; **wiehei 743; zeae 743**
Phytophthora 617, 618, 812; cactorum 597, 618; citrophthora 597, 618, 619; drechsleri 597, 617
Pichia kluyveri 771
Pilobolus kleinii 541
Piricauda 689, 691; **paraguayense** 683, 690, **691;** uleana 691
Platygloea 909; arrhytidiae 909; peniophorae 909
Plectospira dubia 73–75
Pleosphaeria 119
Pleospora 119, 501, 783–786; vagans 829
Pleurage anserina 350
Podochytrium cornutum 88; emmanuelense 461
Podospora 782
Polistophtora 170; antillarum 204
Polyangium 629; aurantiacum 628–630
Polyphagus 806; ramosus 94
Polyporus 745, 746; borealis 831–834, 836; brumalis 732; circinatus 746; fibrillosus 747; guttulatus 831; officinalis 671, 675; prunicola 746; radiatus 747, 748, 750; rutilans 746, 747;

schweinitzii 746, 747; squamosus 746; vaporarius 831
Pontisma 811
Poria 746; ambigua 748; carbonica 747; corticola 748; tenuis 747, 748, 750; vaillantii 834, 835; vaporaria 832, 834–836
Poroniopsis 169
Propolidium 654; acerinum 654; **californicum** 651, **653,** 654; pallescens 654; rehmianum 654; **shearii 654**
Protoachyla paradoxa 802
Protomyces 917, 921–923, 925; iouyei 922; lactucae-debilis 922; pachydermus 922
Psathyra fagicola 280; pelliculosa 280; silvatica 277
Psathyrella 244, 278, 476; hymenocephala 278
Pseudoarachniotus 419, 427, 428, 430; citrinus 428, 429; roseus 428, 429
Pseudogymnoascus 419, 432; roseus 433; vinaceus 432, 433
Pseudohiatula 108
Pseudopatellina conigena 913
Pseudoplea 783; Gaeumannii 118
Pseudospora 803
Psilocybe 141, 147, 240, 242, 246–248, 262; sect. Caerulescentes 247, 248, 255, 262; stirps Caerulescens 266; stirps Caerulipes 266; stirps Cubensis 264; stirps Cyanescens 265, 266; stirps Mexicana 265; stirps Silvatica 265; stirps Yungensis 264; **aerugineomaculans** 264, 266, 270, 272, **273,** 274; **aggericola 142,** 266, 267, 290, 294; aztecorum 243, 246, 251–253, 265, 267, 279, 281, 285; **baeocystis 141,** 265, 267, 279, 282, 289; caerulescens 242–246, 249–252, 255, 256, 258, 266, 267, 282, 291, 299; caerulescens var. caerulescens 293; caerulescens var. mazatecorum 243, 291, 293; caerulipes 255, 266, 267, 290, 291, 299, 301; **candidipes 141,** 244–246, 250, 251, 255, 266, 267, 279, 282, 295, 296; **collybioides 141,** 265, 267, 279, 284, 286; coprophila 271; cordispora 244; cubensis 241, 242, 244, 245, 247, 248, 250, 254–256, 259, 264, 266, 267, 270, 295; cubensis var. **caerulescens 269;** cubensis var. cubensis 269; cubensis var. **cyanescens 269;** cyanescens 141, 265, 267, 283, 286, 288; macrocystis 244; mazatecorum 243, 282 291; mexicana 240, 242–246, 249–251, 253, 255, 256, 265, 266, 276, 285, 295, 300; mexicana var. brevispora 300; mexicana var. longispora 281; **muliercula 142,** 245, 246, 251–253, 258, 266, 267, 290, 298, 299; pelliculosa 245, 265, 266, 278, 280, 285, 295; semilanceata 248, 300; **silvatica** 265, 266, **277,** 285; **strictipes 141,** 265, 267, 279, 288, 291, 299; subaeruginascens 264, 266, 269–274; **yungensis 142,** 245, 265, 266, 270, 274, 275, 295; yungensis var. acutopapillata 295; yungensis var. **diconica 142,** 275; yungensis var. yungensis 274, 295; zapotecorum 243, 266, 267, 297
Ptychogaster 831; rubescens 831
Puccinia 7, 31; airae 946; anthoxanthi 309; asperellae-japonicae 26; avocensis 8, 27, 28, 30; burnettii 7, 8, 10, 12, 13; cacao 36; compressa 742; coronata 7, 12, 26, 31; digna 7–11, 28, 30, 32, 35; entrerriana 7, 13, 15; flavescens 8, 19, 25; graminella 7–9, 11, 27, 30, 33; graminis 7, 13, 14, 309; graminis foliorum stipae 21; hierochloae 12, 31; interveniens 8, 13, 27, 28, 30; lasiagrostis 8, 19, 23; **mexicensis** 8, 19, **24;** micrantha 24; monoica 7, 10, 17, 21; monoica f. sp. koeleriae 18; monoica f. sp. triseti 18; nasellae 7, 10, 11; **neocoronata** 8, 19, **25;** oertelianum 22; oligocarpa 35; pallescens 743; **pazensis** 6, 8, 9, **27;** phakopsoroides 743; phlei-pratensis 309; pratensis 26; pygmaea 35; recondita 309, 824; rhamni 946; rubigo-vera 309; saltensis 7, 9; saltensis var. **faldensis** 7, 9, **11,** 31; saltensis var. **saltensis** 7, **9,** 10; scaber 14; sherardiana 30; sphaeralceoides 30; stipae 7, 21, 24, 25; stipae var. **stipae 7, 18,** 19, 22, 23; stipae var. **stipae-sibiricae** 8, 19, **22;** stipae var. **stipina** 7, 19, **21,** 23, 25; stipae-sibiricae 21, 22; stipicida 29; stipina 21, stipicola 29; substerilis 7, 17, 18; substerilis var. **oryzopsidis** 7, 14–**16;** substerilis var. **scribneri** 7, 14–**16;** substerilis var. **substerilis** 7, **14**–16; versicoloris 26; violae 946; wolgensis 8, 13, 26, 27
Pullularia pullulans 570
Pulveroboletus 58
Pyrenophora 119
Pyronema 957
Pythiella vernalis 467
Pythiogeton 386, 789
Pythiopsis cymosa 802; intermedia 802
Pythium 71, 467, 591, 613, 615, 616, 812; aphanidermatum 597, 615; oligandrum 597, 617

Racemella 170, 174, 175; memorabilis 175
Radulum orbiculare 746; spathulatum 831, 832, 834–836
Ramulispora 826, 827; sorghi 826
Rhipidium 615

Rhizophlyctis rosea 597, 599, 600, 807
Rhizophydium 88–90, 457, 459, 461, 799; asymmetricum 89; carpophilum 946, 947; clinopus 88, 461; cyclotellae 91; difficile 459; fragilariae 93, 94; globosum 459, 460; **horizontale** 87, **88,** 89, 94; laterale 461; megarrhizum 456–458, 467; melosirae 461; oscillatoriae 460; **pelagicum 85**–88, 94; planktonicum 93, 94; simplex 459; sphaerotheca 600, 601; subangulosum 456, 457, 460; transversum 457
Rhizopogon rubescens 930, 934
Rhizopus 376, 812; nigricans 99; stolonifer 99
Rhizosiphon anabaenae 94
Rhodocybe 523; roseiavellanea 523
Rhodophyllus 514; **verrucosus 522**
Rhynchosporina 635; meinersii var. **alpina 817; tridentis 634,** 636, 817
Rhynchosporium 635; orthosporum 822, 828; secalis 822
Roestelia interveniens 28
Rosellinia 780
Rozella 599, 805, 946; allomycis 598, 600, 618
Russula sect. Nigricantinae 247; delica 252

Saccharomyces 417, 445, 586; cerevisiae 585, 770, 771; fragilis 376
Saprolegnia 591, 608, 609, 614, 801; diclina 695; ferax 695; litoralis 695; megasperma 695; parasitica 802; monoica var. glomerata 695
Sapromyces 615; elongatus 613, 614, 618
Schizophyllum commune 707, 765, 766; radiatum 709, 710, 721, 726, 736
Schizosaccharomyces 86; pombe 586
Sciniatosporium 683, 684; hypnorum 684; lycii 683, 684
Sclerotinia gladioli 350; trifoliorum 502
Scolecotrichum 510; graminis 822
Scutellinia 121, 125; abundans 130; gregaria 133; texensis 125
Sebacina sect. Bourdotia 408; galzinii 407; lactescens 413; megaspora 408, 411; pululahuana 407; stratosa 415
Secotium albipes 936; erythrocephalum 937
Seismosarca 407, 408, 411, 415; cartilaginea 408, 415; hydrophora 407, 408; tomentosa 408, 413, 414; stratosa 408, 415, 416
Selenophoma bromigena 823; donacis 823, 828; donacis var. stomaticola 816, 828; everhartii 823; obtusa 823
Septocolla 891, 898
Septogloeum 828; oxysporum 827
Septolpidium lineare 93, 94
Septoria 829; alopecuri 829; avenae 824, 825; culmifida 816; elymi 824; elymi fa. elymina 824; epigejos 829; infuscans 818, 819, 824; nodorum 825; oudemansii 825; oxyspora 816; pacifica 819; passerinii 825; poliomela 825; rhizodes 829
Shanorella 419, 435; spirotricha 435
Siphonaria 806
Sirodesmium 686
Sirolpidium 811; bryopsidis 67; zoophthorum 66, 67, 71, 78
Sistotrema cinnabarinum 307, 308; croceum 307, 308
Sorangium 629, 630; **aurantiacum 628,** 629, 631, 632; cellulosum 630; compositum 630; nigrescens 629; nigrum 629; schroeteri 630, 631; septatum 630; sorediatum 630, 631; spumosum 630
Sordaria 780–782; brefeldii 780; fimicola 386
Sparassis crispa 746
Sphaerella 510; typhae 510, 511
Sphaeria trib. Cordyceps 170; clavulata 189; entomorrhiza 211; herculea 200; inflata 117; militaris 190; sobolifera 195, 196; sphecocephala 204; typhae 510, 511
Sphaerocarpus chrysospermus 367
Sphaeronaema 885
Sphaeronaemella 885
Sphaeropsis 101, 500
Sphaerostilbe 779; aurantiicola 779
Spicaria 173; violacea 677
Sporidesmium 681; atrum 688, 689; **caricinum** 683, **689;** cellulosum 688; concinnum 686; conglobatum 687; durantae 691; foliicolum 685; granulosum 687; myrianum 683; sarcopodioides 689
Sporocybe curziana 761
Sporotrichium 173; schenckii 229
Sporodesmium 681, 686; celtidis 685
Sporormia 783, 786
Stachybotrys 101
Stachylidium 761
Stagonospora 639, 641; arenaria 829; bromi 824; intermixta 829; ischaemi 640; mariae 828, 829; paspali 640; simplicior 640, 825; **subchlorinoflavida** 636, **640,** 641; subseriata 640; **tridentis** 636, **640;** vexatula 825
Starkeyomyces 571
Steganosporium 683–686, 690, 691; **celtidis 685,** 690; **foliicolum 685,** 690; **lycii 684,** 685, 690; **myrianum 683;** pyriforme 683–685, 692
Stemonitis favoginea 368
Stemphylium 681, 691, 692; paraguayense 691

Stereum 304, 746; fasciatum 748–750; hirsutum 304; magnisporum 305; murraii 751; patelliforme 304, 305; rameale 747; rufum 747; subpileatum 747–749; sulcatum 746
Stictis **myricae** 651, **655;** vaccinii 655
Stigmella 688, 689, 691; celtidis 682; dryophylla 685, 688; montellica 682; scitula 691; uleana 689, 691
Stigmopsis 682; celtidis 682; montellica 682
Stilbella setiformis 212
Stilbum 173
Streptomyces 227; griseus 226, 490; venezuelae 490
Stropharia 147, 248, 264; aerugineomaculans 273; aeruginosa 248; caerulescens 241, 268, 269, 271, 272; cubensis 241, 267, 269; cyanescens 268, 269; squamosa 248; venenata 269, 271, 272
Strumella corynoidea 843
Stysanus medius 761
Suillus 60; brevipes 252
Synchaetophagus 73; balticus 67, 73, 74, 78
Synchytrium 81, 524–526, 947; subg. **Exosynchytrium** 374, **375;** subg. **Microsynchytrium 374;** aureum 81, 524; australe 562; brownii 373, 374, 524; callirrhoeae 374, 524; decipiens 562; endobioticum 524–526, 530, 531, 534–536, 947; fulgens 373, 524–527, 530, 534–536, 562, 945, 947; graminicola 826; linariae 947; macrosporum 945, 947; namae 944; oenotherae 374

Talaromyces 427, 428; spiculisporus 428
Taphridium 917, 921, 922, 925
Taphrina 317, 417, 418, 921–924; epiphylla 923; higginsii 916, 917, 921–925; osmundae 916, 917, 919, 921–924
Teichospora 117, 119; subg. Eu-Teichospora 117; subg. Strickeria 117; subg. Teichosporella 117
Teichosporella 117; **africae 118;** crebriseptata 117; oryzae 117, 118; pachyasca 117; subrostrata 117
Tetrachytrium 804
Theclospora 851, 854; bifida 852–854, 856, 857; lateralis 854, 855
Thecopsora 854
Thelospora 854
Thielaviopsis basicola 377, 379, 380–383, 385–387
Thozetella 575, 576; nivea 575
Thozetellopsis 576, 578; **tocklaiensis** 572, **576,** 578
Thozetia 575; nivea 575
Thraustochytrium proliferum 803
Thraustotheca 405, 406, 802; subg. Brevilegnia 406; clavata 695; primoachyla 695; unisperma 406
Thyrostromella 683, 684; myriana 683
Tilletia nanifica 313; tritici 313; tritici nanifica 313
Titaeospora 826, 827
Torrubia 170, 174; cinerea 211; clavulata 189; coccigena 202; curculionum 203; formicivora 208; melolonthae 198; militaris 190; myrmecophila 206; pistillariaeformis 189; sobolifera 195; sphecocephala 204; sphingum 186; superficialis 181; unilateralis 208
Torrubiella 169, 172, 175, 187, 188; ochracea 186, 187
Trametes 746; americana 746
Tremella 909; abietina 904; aurantia 907; concrescens 914; deliquescens 874, 891, 898, 910, 911; enata 890, 900; lacrymalis 904; micropera 408, 413, 415; obscura 905, 909, 910; palmata 907; pululahuana 407, 408, 410, 412; subochracea 908
Tricharia bicuspis 138
Trichia 357; abrupta 368; affinis 357–359, 361–369; balfourii 368; chrysosperma 368; favoginea 357; intermedia 368; jackii 368; kalbreyeri 368; nitens 368; ovata 368; persimilis 357–362, 364–369; proximella 368; pulchella 368; sulphurea 368; turbinata 368; verrucosa 357–359, 361, 363, 366, 368
Trichoderma lignorum 760–762, 764, 768
Tricholoma sclerotoideum 46
Tricholomopsis rutilans 521; **squamosa 520;** variegata 521
Trichophyton 418, 432; dankaliense 425; mentagrophytes 164
Trichophaea 121; abundans 122–124, 126, 129, 130; amphidoxa 123, 125, 128–130; albo-spadicea 132; bicuspis 122, 123, 125, 126, 128, 137; boudieri 121, 127, 129, 139; **bullata** 123–127, 129, **131;** erinaceus 121; gregaria 123, 124, 126, 129, 130, 133, 134, 136; gregaria var. intermedia 121, 134; **michiganensis** 123, 125, 129, **138;** paludosa 121, 123, 125, 127–129, 135, 136; pseudogregaria 121, 123, 127–129, 134, 136; **tuberculata** 123, 125–129, **134,** 136; woolhopeia 127
Trichothecium roseum 760–762, 766, 768
Tripterospora 782
Trogia 108
Troposporium 847, 849; album 849–851
Tryblidaria 656; **californica** 651, **655,** 656
Tubaria 252

Tuber 660; candidum 660; harknessii 660; **texense 657,** 659
Tylopilus 58, 59
Typhula 892

Ungulina officinalis 672
Uredo cameliae 742; luxurians 14; **nasellae 35;** pencana 32; stipae 35; vitis 741
Urnula 842; craterium 837; geaster 841, 843
Uromyces 8, 31; argentinus 36; fergananensis 6, 8, 31, 33, 34; graminis 34; mussooriensis 6, 8, 31, 34; nasellae 8, 31, 32; pencanus 7, 8, 30-33; scaber 14; stipinus 6, 8, 34, 35
Urophlyctis 80
Ustilago antherarum 312; coronariae 313; dianthorum 312; lychnis-dioicae 312; maydis 622; silenes-inflatae 313; silenes-mutantis 313; stellariae 313; superba 313; violacea 312; zeae 313

Valsaria 786
Venturia 350, 511
Verticillium 425

Weraroa erythrocephala 937
Wojnowicia graminis 829

Xanthoconium 58
Xerocomus 58–61; badius 60; **castanellus 58,** 61, squarrosoides 57, 58
Xeromphalina 108
Xerula 108
Xylogramma nigerrima 654

Zygochytrium 804
Zygorhizidium 806; planktonicum 88

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME L, 1958

CONSISTING OF V + 972 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

Ernst Athearn Bessey, H. L. Barnett 1
A synopsis of the Uredinales which parasitize grasses of the genera Stipa and Nasella, H. C. Greene and George B. Cummins 6
New species and varieties of Clitocybe from Michigan, Howard E. Bigelow .. 37
Three new species of Myxomycetes from Greece, Const. J. Alexopoulos 52
Notes on Boletes. X. A few miscellaneous discussions and a new subspecies, Walter H. Snell and Esther A. Dick 57
A new marine phycomycete, Helen S. Vishniac 66
Physoderma pulposum, Yamuna Lingappa 80
Parasitic and saprophytic phycomycetes which invade planktonic organisms. I. New taxa and records of chytridiaceous fungi, R. A. Paterson 85
Mycological taxonomy as related to practical problems in microbiology, G. W. Martin 97
New genera of fungi. VIII. Notes concerning the sections of the genus Marasmius Fr., Rolf Singer 103
The functions of the microspores of Gelasinospora calospora var. autosteira, Bernard J. Sloan and G. B. Wilson 111
A new species of Teichosporella, John B. Routien 117
Some species of the genus Trichophaea, Bessie B. Kanouse 121
Notes and Brief Articles 141
Reviews 147

No. 2. March–April

Marine fungi. IV. Lulworthia and Ceriosporopsis, T. W. Johnson, Jr. 151
Accidental isolation of Trichophyton mentagrophytes from the floor of a schoolhouse, Florante B. Bocobo and Arthur A. Curtis 164
North American entomogenous species of Cordyceps, E. B. Mains 169
Effect of carbohydrates on the growth of Cephalosporium longisporum in a chemically defined medium, Michael A. Pisano and Anastasia F. Plucker 223
Production of extracellular polysaccharide in cultures of Coccidioides immitis, D. Pappagianis and George S. Kobayashi 229
Mycological investigations on teonanácatl, the Mexican hallucinogenic mushroom. Part I. The history of teonanácatl, field work and culture work, Rolf Singer 239
Part II. A taxonomic monograph of Psilocybe, section Caerulescentes, Rolf Singer and Alexander H. Smith 262
Notes and Brief Articles 304
Reviews 309

No. 3. MAY–JUNE

A. J. Mix, NORVEL M. MCCLUNG 315
The philosophy of taxonomy, DONALD P. ROGERS 326
Some aspects of morphology, genetics, and cultural behavior of Gelasinospora calospora var. autosteira, EDMUND E. TYLUTKI 333
Taxonomic studies in the Myxomycetes. I. The Trichia favoginea complex, MARIE L. FARR 357
Antibiotics formed by species of Emericellopsis, F. KAVANAGH, D. TUNIN, AND G. WILD 370
Synchytrium fulgens Schroeter, JOHN S. KARLING 373
The utilization of oligosaccharides by some species of Ceratocystis, E. M. WILSON AND VIRGIL GREENE LILLY 376
Studies of a unique pigment complex and a photobiological reaction in Penicillium herquei, J. M. RIEDHART AND C. L. PORTER 390
New water molds from Florida, A. W. ZIEGLER 403
Studies of some Tremellaceae. II. The genus Ductifera, KENNETH WELLS .. 407
A preliminary survey of the Gymnoascaceae. I, HAROLD H. KUEHN 417
Notes and Brief Articles 440
Reviews 447

No. 4. JULY–AUGUST

Parasitic and saprophytic Phycomycetes which invade planktonic organisms. II. A new species of Dangeardia with notes on other lacustrine fungi, R. A. PATERSON 453
New species of Galerina, ALEXANDER H. SMITH AND ROLF SINGER 469
The biosynthesis of chloramphenicol. III. Effects of micronutrients on synthesis, VIRGINIA GALLICCHIO AND DAVID GOTTLIEB 490
A new Calcarisporium parasitic on other fungi, H. L. BARNETT 497
Life history studies on Mycosphaerella tassiana and M. typhae, MARGARET E. BARR 501
The agaric flora of Texas. II. New taxa of white- and pink-spored agarics, HARRY D. THIERS 514
Sexuality in Synchytrium brownii Karling, B. T. LINGAPPA 524
The growth-promoting effect of several amino acids on the common cultivated mushroom, Agaricus bisporus, IAN M. FRASER AND BYRON S. FUJIKAWA 538
An Enterobryus from the milliped Boraria carolina (Chamberlin), ROBERT W. LICHTWARDT 550
Susceptibility of Clarkia to Synchytrium fulgens, GEORGE C. HARTMANN 562
Notes on fungi from north-east India. I. A new genus of Tuberculariaceae, V. AGNIHOTHRUDU 570
Notes and Brief Articles 580
Reviews 585

No. 5. SEPTEMBER–OCTOBER

Mycological organization, RALPH EMERSON 589
Nuclear behavior in mycelium of a solopathogenic line and in a cross of two haploid lines of Ustilago maydis (DC.) Cda., HOWARD G. EHRLICH 622

Two new fifty-year-old species of myxobacteria, JOHN E. PETERSON 628
Some leafspot fungi on Kansas Gramineae, RODERICK SPRAGUE AND CLARK T. ROGERSEN 634
Some new Discomycetes from California, EDITH K. CASH 642
The first recorded truffle from Texas, CHARLES HEIMSCH 657
Additional species of Ophiostomataceae from Colorado, ROSS W. DAVIDSON .. 661
Studies on microstructure of Laricifomes officinalis, ALCIDES RIBEIRO TEIXEIRA 671
Oxidation of fatty acids by cell suspensions of Spicaria violacea, G. T. JOHNSON 677
Deuteromycetes. I. The Sporidesmium complex, ROYALL T. MOORE 681
The Saprolegniaceae of Florida, A. W. ZIEGLER 693
Cochliobolus sativus. I. Perithecial development and the inheritance of spore color and mating type, R. D. TINLINE AND J. G. DICKSON 697
Genetic and environmental aspects of fruiting in Schizophyllum commune Fr., JOHN R. RAPER AND GLADYS S. KRONGELB 707
The genus Physopella (Uredinales) replaces Angiopsora, GEORGE B. CUMMINS AND P. RAMACHAR 741
Wood, tomato and malt extracts and growth of some Basidiomycetes, WILLIAM J. ROBBINS AND ANNETTE HERVEY 745
Note on Lenzites cinnamomea Fr., MARIA ENEYDA PACHECO KAUFFMAN FIDALGO 753
Fungi isolated from oak-wilt trees and their effects on Ceratocystis fagacearum, ALEX L. SHIGO 757
An initial study of pathways of carbon metabolism in Hansenula anomala (Hansen) Sydow, NORMAN D. DAVIS 770
Some comments on the ascocarps of the Pyrenomycetes, LENNART HOLM 777
Notes and Brief Articles 789

No. 6. NOVEMBER–DECEMBER

Interrelationships and phylogeny of the aquatic Phycomycetes, F. K. SPARROW 797
Some leafspot fungi on western Gramineae—XII, RODERICK SPRAGUE 814
Studies on Ptychogaster rubescens Boud., the chlamydosporiferous form of Polyporus guttulatus Pk., OSWALDO FIDALGO 831
Mechanism of apothecial opening and ascospore expulsion by the cup-fungus Urnula craterium, FREDERICK A. WOLF 837
The hyphomycetous genera of H. W. Harkness and the ascomycetous genus Cleistosoma Harkn., CHESTER A. PEEK AND W. G. SOLHEIM 844
A method of obtaining pure radioactive β-carotene using Phycomyces blakesleeanus, VIRGIL GREENE LILLY, H. L. BARNETT, R. F. KRAUSE AND F. J. LOTSPEICH 862
The genera of the Dacrymycetaceae, LORENE L. KENNEDY 874
The genus Dacrymyces, LORENE L. KENNEDY 896
A new genus in the Protomycetaceae, C. L. KRAMER 916
Studies on secotiaceous fungi. VIII. A new genus in the Secotiaceae related to Gomphidius, ALEXANDER H. SMITH AND ROLF SINGER 927
Notes and Brief Articles 939
Reviews 949
Index 958